nuti

OH ... 157

P 292115Z
FM NPIC WASHDC
TO RUCSC/SAC OFFUTT AFB OMAHA NEB
RUCVAA/4080 STRAT WG OL 19 BARKSDALE AFB LA
RUCVAA/2D RTS BARKSDALE AFB LA
RUEAHQ/DIA WASHDC
RUECYH/NAVRECONTECHSUPPCEN SUITLAND MD
RUEPIA/CIA WASHDC
RUWBKN/15TH AF MARCH AFB RIVERSIDE CALIF
RUWGAA/2AF BARKSDALE AFB LA
BT
S E C R E T CITE NPIC 3577.

COPIES RECEIVED 7

CyNo. Office Act.

1 traster Files

2 OS

1964 DEC 29 21 55 Z

CyNo. Office Act. Rec'd

I Master File

OS

AUGUS

AUGUS

AUGUS

AUGUS

AF3 (FOR DI)

CIALLID

DIAXX4

Destroyed

 $T_{ID}$ 

3 0 DEC 1964

15TH AF (FOR DI), SAC (FOR DIM/GOLDEN TREE/DOCR, DM 4) 2D AF3(FOR DI)

1. CAMERA B 15 WAS USED IN MISSION 3979 FLOWN ON 28 DECEMBERO

1964. PROCESSING WAS ACCOMPLISHED BY BARKSDALE.

2. ORIGINAL NEGATIVE:

A. THE EXPOSURE WAS ADEQUATE BUT THE RESOLUTION IS SLIGHTLY
DEGRADED BY WHAT APPEARS TO BE A GROUND HAZE.

B. 9R SIDE: EDGE FOG IS PRESENT ON THE INBOARD AND OUTBOARD EDGES THROUGHOUT THE MISSION. STATIC DISCHARGES OCCUR INTERMITTENTLY ALONG THE INBOARD AND OUTBOARD EDGES. ROLLER CHATTER DEGRADES PART OF THE IMAGE ALONG THE INBOARD EDGE FROM THE BEGINNING TO END OF THE MISSION. A PLUS DENSITY STREAK 3.25" FROM THE INBOARD EDGE IS PRESENT THROUGHOUT. TWO ROWS OF MINUS DENSITY SPOTS ARE LOCATED ON FRAMES 1 - 27, 4.5" FROM THE INBOARD EDGE AND 2.32" APART, 1.1" FROM THE INBOARD EDGE AND 1.55" APART. A MANUFACTURING SPLICE OCCURS ON FRAME 1261.

C. 9L SIDE: INBOARD ROLLER CHATTER IS PRESENT IN THE FIRST 46 AND LAST 52 FRAMES. THERE IS STATIC ALONG THE OUTBOARD EDGE

> Excluded from sufematic dewagraving and declassificative

Approved For Release 2007/12/11 : CIA-RDP78B04558A001100120009-8

THROUGHOUT THE MISSION AND THE LAST 52 FRAMES CONTAIN OUTBOARD ROLLER CHATTER. A ROW OF PLUS DENSITY DOTS, 3.0" FROM THE OUTBOARD EDGE OF THE FILM RECUR INTERMITTENTLY. THIS ROW OF DOTS VARY IN INTENSITY AND ARE MORE PREDOMINANT IN FRAMES 0-240, 494-800, 1077-1107 AND 1308-1932. ANOTHER SERIES OF PLUS DENSITY DOTS APPEAR INTERMITTENTLY 1.2" FROM THE INBOARD EDGE OF THE FILM BETWEEN FRAMES 1540-1932. FRAMES 1186 THROUGH 1932 CONTAIN PROCESSING STREAKS OF VARYING INTENSITY. MINUTE ABRASIONS, WHICH APPEAR AS PINHOLES, ARE PRESENT IN FRAMES 74-76, 1200-1250 AND 1550-1580. THERE IS A MANUFACTURING SPLICE IN FRAME 367 AND A CHEMICAL STAIN IN FRAME 807. FRAMES 39-40 CONTAIN CREASES AND THERE IS A FLARE ADJACENT TO THE DATA CHAMBER IN ALL FRAMES.

- D. BOTH SIDES: THE LAST TITLED FRAME IS 1932.
- E. THERE WERE NO MAJOR CAMERA OR PROCESSING MALFUNCTIONS DURING THE MISSION.
  - 3. POSITIVE:
- A. THE PI SUITABILITY IS SLIGHTLY DEGRADED BY GROUND HAZE.
  - B. THE PRINTING AND PROCESSING ARE GOOD.
- C. CLOUDS OBSCURE APPROXIMATELY 25 PERCENT OF THE MISSION.
  S.E. C. R. E. T.

/END OF MESSAGE/